



Cetis  | APPLIANCES
Teledex • TeleMatrix • Scitec

User Guide

Flashlight (FL-102)



Black FL-102
Part Number: FL1021 (12 per case)

PACKING LIST

Included in the box:

- Flashlight
- Flashlight base
- User guide

PRODUCT FEATURES

- Patented series design
- Aesthetic, non-slip, threaded handle
- Has luminescent light ring so the flashlight can be found in low- or no-light conditions
- Uses high-efficiency, energy-saving, long-life LED lamp beads
- Use two LR6 AA 1.5V AA batteries
- Available in Black or Grey


OPERATING INSTRUCTIONS

1. Install the base in place.
2. When in use, just remove the flashlight from the base, and the light will automatically turn on.
3. After use, put the flashlight into the base, the light will turn off automatically.

Replacing Batteries

1. Rotate the bottom cover of the flashlight counterclockwise and remove the bottom cover.
2. Insert two LR6 AA 1.5V batteries into the flashlight in the direction shown in the diagram.
3. Rotate the bottom cover of the flashlight clockwise and screw the bottom cover tightly.

ASSEMBLY INSTRUCTIONS



Use the double tape to stick in this location 30*30*0.5mm

1. Use the double tape on the back side of the base to secure to the wall.
2. Use the plastic base to secure the flashlight to a wall or counter.

COMMON FAILURES AND SOLUTIONS

Failure	Solution
The flashlight does not work.	<ul style="list-style-type: none">• If the white LED fails or internal parts fail, the unit will need to be returned for repair.• Please insert or replace the LR6 AA 1.5V battery before use

TECHNICAL PARAMETERS

Product name: Flashlight
Product model: FL-102
Battery capacity: LR6 AA 1.5V batteries*2
Dimensions: 1.85 x 1.85 x 7.20 in (47 x 47 x 183 mm)
Weight: 0.26lbs (119 g)



White FL-102
Part Number: FL1026 (12 per case)

The background of the entire page is an abstract, flowing pattern of light blue and white, resembling smoke or liquid waves. The pattern is composed of many overlapping, curved lines that create a sense of movement and depth. The colors range from very light, almost white, to a medium blue.

www.cetisappliances.com

**4975 N. 30th Street
Colorado Springs, CO 80919**

**info_USCA@cetis.com
Telephone +1 719 638 8821
Fax +1 719 638 8757**

© 2022 Cetus, Inc. Cetus, Inc. is a U.S. corporation, incorporated in the State of Delaware and headquartered in Colorado. Product specifications and descriptions in this document subject to change without notice. Cetus®, Teledex®, TeleMatrix®, and Scitec® are trademarks or registered trademarks of Cetus, Inc.

CTS-APP-UGFL-112022